




Burley-Uniform




Canberra's own locally manufactured luminaire! Partnering with companies like Tridonic and TCI, some of the world leaders of LED products, and utilising the talents of local Canberrans to produce a luminaire that competes on the world stage. The Burley provides excellent visual comfort as it has been specifically designed to give maximum light output without compromising the fundamentals of the luminaire.

Features


- Made in **Canberra**
- Colour Rendering > 80
- 3 Step MacAdams
- **10 Year warranty** (T&C's apply)
- L80/B10 > 60,000 hours (Ambient up to +30 Deg-C)
- Optical System - Acrylic resin formulated diffuser (>85% transmittance)
- Recessed T-bar - Plaster (Accessory needed)
- DALI, DSI, SwitchDim & Casambi control options
- Integrated sensors available
- Premium quality LED's and drivers
- Up to **123 Lumens per watt**
- *Australian designed, Australian made & Australian owned.*



Polar Curve



Dimensions



Luminaire code builder

All figures stated below are from Tridonic LED's and Drivers

Product Code	Fitting output	Wattage	Colour Temp	Dimensions
LN200BU-U1	1132 Lumens	9.6	4000	595 (L) x 295 (W) x 120 (H)
LN250BU-U1	1427 Lumens	12.1	4000	595 (L) x 295 (W) x 120 (H)
LN150BU-U	1675 Lumens	14.2	4000	1195 (L) x 295 (W) x 120 (H)
LN200BU-U	2388 Lumens	19.2	4000	1195 (L) x 295 (W) x 120 (H)
LN225BU-U	2560 Lumens	21.7	4000	1195 (L) x 295 (W) x 120 (H)
LN250BU-U	2915 Lumens	24.8	4000	1195 (L) x 295 (W) x 120 (H)
Mounting	Code Extension	Colour Temp	Code Extension	
T-Bar	- T	2700K	- 27	
Plaster	- P	3000K	- 30	
		4000K	- 40	
		Tuneable	- Tun	
Driver configuration	Code Extension	LED	Code Extension	
Non-Dim	- ND	CRI	- 80 (Standard)	
DALI	- DA	CRI	- 90 (Cynosys options available)	
Casambi	- CAS			
Sensor	- SE			
Custom sizes available on request				

T-Bar mounting example

